	Application No.	Applicant(s)
Notice of Allowability	rippii dation ito.	, and the second
	10/828,870	HIRSCH ET AL.
	Examiner	Art Unit
	Adam C. Rehm	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 6/16/2006.		
2. ☑ The allowed claim(s) is/are <u>1,5-7,12 and 14-19</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal P	Patent Application (PTO-152)
Notice of Neterences Cited (FTO-032)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	_ Paper No./Mail Dat	te
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/828,870 Page 2

Art Unit: 2875

## **DETAILED ACTION**

## Response to Amendment

1. Applicant's amendment, filed 6/16/2006, which incorporates previously indicated allowable subject matter into rejected claims, renders the claims allowable. The remaining rejections have been withdrawn.

## Allowable Subject Matter

- 2. Claims 1, 5-7, 12 and 14-19 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: no prior art of record discloses or otherwise suggests a fluorescent adapter as claimed with emphasis on "...at least one tooth for engaging the ring contact..." per Claim 1; "...a slot in the ring contact with a projection on the housing and thereafter rotating the ring contact in the first direction together with the housing..." per Claim 12; "...keyhole slot receptacles area adapted to receive the ballast input electrodes in a bayonet style connection..." per Claim 14; and "...a housing including a receptacle adapted to receive input electrodes of a fluorescent ballast and a tip compatible with an electric socket...and a threaded ring...rotatable with the housing when...rotated in a first direction and not rotatable...when...rotated in an opposite direction..." per Claim 15.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2875

## Conclusion/Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam C. Rehm whose telephone number is 571.272.8589. The examiner can normally be reached on M-F 9-5:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 571.272.2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ACR 6/21/2006 thomas M. Simber Pring Examiner